Checklist of Birds Recorded in Erie County, Pennsylvania, Including *Presque Isle State Park*

Compiled by Gerald M. McWilliams





Bird Watching in Erie County, PA: An Historical Perspective

This, the latest edition of the Erie County, PA, bird checklist, is dedicated to Jean Stull Cunningham, who started formal bird record-keeping for Erie County and compiled the county's first-ever checklist. Jean founded the Presque Isle Nature Club in 1956 (now the Presque Isle Audubon Society), and co-authored

Jean Stull Cunningham 1929-2011

every checklist the *Presque Isle Audubon Society* published until her death in July, 2011. All of us who had the good fortune to know Jean truly miss her enthusiasm

for, and dedication to, the natural world.

The ornithological history of Erie County takes us back to B. H. Warren who mentions Erie County in his "Report on the Birds of Pennsylvania" in 1890, when Piping Plovers nested regularly along the lake shore. Few birders existed then, and bird re-

cords came from visiting ornithologists and hunters — gunners, as they were called. W. E. Clyde Todd made periodic visits to Erie County and published his monumental



work, "The Birds of Western Pennsylvania" in 1940. From the 1940s until the mid-1950s, little bird activity was documented, but then birding, bird listing, and bird record-keeping really took off. Much has changed in what we know about birds since the 1950s. Canada Geese were still exciting to see and Double-crested Cormorants were considered rare well into the 1980s. Now several thousand might be seen in a single day. Bald Eagles nested only on Presque Isle, and only into the 1950s. In 2013, at least ten active eagle nests were known in the county. We've lost some breeding birds like Black Tern, which nested regularly on Presque Isle, and no active nests have been reported anywhere in Pennsylvania in the last few years. Recent waterfowl surveys along Lake Erie have changed the status of some species like Common and Red-throated Loon and all three scoter species, from rare and often irregular then, to common and regular now. Red-bellied Woodpeckers, once considered rare and irregular, are now permanent, common residents. Evening Grosbeaks, which in the 1970s and 1980s were abundant in winter, now appear only once every few years. As the climate warms, Neotropical migrants arrive earlier and depart later, correlating with the availability of insects. This has been noted dramatically over the last decade. Breeding passerines, which typically did not arrive until early May, are now arriving in late April, and are heading south later in the fall.


The work of updating this checklist every few years is substantial, but necessary in order to keep up with ornithological changes. Contributors to this checklist, both past and present, are to be commended for making it one of the most informative and detailed of local checklists.

Jerry McWilliams

Front Cover: Checklist compiler, Jerry McWilliams, at sunrise, looking at birds through his spotting scope while on the beach near Gull Point within Presque Isle State Park. Photo taken by James R. Hill, III, in 1980.

Continued on next page

Checklist of Birds Recorded in Erie County, Pennsylvania, Including Presque Isle State Park



Key to the Seasonal Abundance and Frequency Charts

1. Abundance:

The numerical ranges given below are guides to average seasonal abundance, and mean that the species occurs in such numbers that a competent observer at the appropriate time(s) and place(s) might see or hear approximately the given number of individuals in a single day of birding.

Common to Abundant - 26 or more

Fairly Common - 6 to 25

Uncommon to Rare - Less than 6 per day

2. Frequency:

Regular - Recorded nearly every year (solid line)

Irregular - 2 or more years absence between sightings (dashes)

Variable - May vary widely from year to year (solid line and dashes)

Single observation of one or more birds indicating a duration of stay of less than 7 days (elevated, single dash)

Single observation of one or more birds indicating a duration of stay


of at least 7 days and departure date (string of lower dashes followed by an upper dash)

3. Breeding Status:

No asterisk after a species' name indicates a non-breeding species.

- * A single asterisk after a species' name indicates regular, or nearly regular, breeding.
- ** A double asterisk after a species' name indicates irregular breeding at intervals of 2 or more years
- *** A triple asterisk after a species' name indicates an extant species no longer breeding in Erie County, PA.
- 4. Species' names and groupings are listed in taxonomic order following <u>The Clements Checklist of Birds of the World, 6th Edition</u>, published by the *Cornell University Press* in 2007, and includes the annual, online, updates through 2012.





| | | S | easona | al Abu | nda | 1Ce a | nd F | rea | lenc | v | |
|------------------------------|---------|-------|--------|----------|----------|---------------------------------------|------|-----|------------|----|----|
| Species Name | JAN | | MAR AP | | | | | | | | EC |
| PHEASANTS, GROUSE, TURKE | | | | | | | | | | | |
| ☐ Ring-necked Pheasant* | | | | ' | 1 | | | | , | | |
| ☐ Ruffed Grouse* | | | | | + | | | | | | |
| ☐ Wild Turkey* | | | | | | | | | | | |
| LOONS | | | | | | | | | | | |
| ☐ Red-throated Loon | ш | | | | . • | | | | Щ | шш | ш |
| ☐ Pacific Loon | | | | | | | | | | | |
| ☐ Common Loon | | | | Ш | <u> </u> | | - | | | | |
| GREBES | | | | | | | | | | | |
| ☐ Pied-billed Grebe** | | | | Щ | | | | " | Ш | ШШ | Щ |
| ☐ Horned Grebe | | | | <u> </u> | | · · · · · · · · · · · · · · · · · · · | | | | | |
| ☐ Red-necked Grebe | | | | | | | | | | | |
| ☐ Eared Grebe | - | | | | | | | | , | | |
| ☐ Western Grebe | | | | | • | | | | | • | |
| STORKS | | | | | | | | | | | |
| ☐ Wood Stork | | | | | | | | | | : | |
| GANNETS | | | | | | | | | | | |
| □ Northern Gannet | | | | | | | | | | | |
| CORMORANTS | | | | | | | | | | | |
| ☐ Double-crested Cormorant | шш | , | шш | <u> </u> | ш | шш | шш | | | | Ш |
| PELICANS | | | | | | | | | | | |
| ☐ American White Pelican | | | | | | | | | | | |
| ☐ Brown Pelican | | | | | | | | | | | |
| BITTERNS, HERONS, EGRETS, | NIGH | T-HE | ERONS | | | | | | | | |
| ☐ American Bittern** | | + | | Щ | <u>,</u> | <u>,</u> | | | | | |
| ☐ Least Bittern* | | | | | | | | | | , | |
| ☐ Great Blue Heron* | | | | | | | | | | | |
| ☐ Great Egret | | + | | Щ | | ···- | | | <u>—…,</u> | | |
| ☐ Snowy Egret | | | | | <u>,</u> | | | : | • | | |
| ☐ Little Blue Heron | ļ | | | | <u>,</u> | , <u>,</u> | | | | - | |
| ☐ Tricolored Heron | ļ | | | ., | <u>,</u> | | | | | - | |
| ☐ Reddish Egret | - | | | | | | | | | - | |
| ☐ Cattle Egret | ļ | | | | - | | | | | , | |
| ☐ Green Heron* | | | | | | | | | | - | |
| ☐ Black-crowned Night-Heron | - | - | | щ | <u>,</u> | <u>,</u> | | | | | |
| ☐ Yellow-crowned Night-Heron | | | , , , | | | | | | | | |
| IBISES | | | | | | | | | | | |
| ☐ Glossy Ibis | | | | | | <u> </u> | | | | | |
| | | | 5 | | | | | | | | |

| Species Name | | | | | | | | and I | | | | |
|---------------------------|--------|-----|------|--------|---------|-----|-----|-------|-----|-----|----------|----------|
| · | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | ОСТ | NOV | DE |
| SPOONBILLS | | ı | | | | | | | | | T | |
| ☐ Roseate Spoonbill | | | | | • | | | | | | | |
| AMERICAN VULTURES | | ı | | | ı | ı | ı | | T | ı | T | |
| □ Black Vulture | | | _ | | <u></u> | | | | | | | - |
| ☐ Turkey Vulture* | | | Ш | | | | | | | | <u> </u> | |
| OSPREY, KITES, EAGLES, HA | WKS | | | | | | | | , | | , | |
| ☐ Osprey* | | | | | | | | | | | | |
| ☐ Swallow-tailed Kite | | | | • | | | | | | | | |
| ☐ Golden Eagle | | | _ | | | | | | | - | - | |
| ☐ Mississippi Kite | | | - | | | | | | | | | |
| ☐ Northern Harrier** | | | | ш | | | | | | | | |
| ☐ Sharp-shinned Hawk* | | | | | | | | | | | | |
| ☐ Cooper's Hawk* | | | | | | | | | | | | |
| □ Northern Goshawk | | | | | | | | | | | | |
| ☐ Bald Eagle* | | | | | | | | | | | | |
| ☐ Red-shouldered Hawk* | | | шШп | ш | | | | | | | | |
| ☐ Broad-winged Hawk* | | | | \Box | | | | | | | | |
| ☐ Swainson's Hawk | | | | - | | | | | • | | | |
| ☐ Red-tailed Hawk* | | | | | | | | | | | | |
| ☐ Rough-legged Hawk | | | | | | | | | | | | |
| RAILS, GALLINULES, COOTS | , CRAN | ES | | | | | | | | , | | |
| ☐ King Rail | | | | | - | | | | - | - | | |
| ☐ Virginia Rail* | • | | | | | | | | | | | |
| □ Sora* | | | | | | | | | | | | |
| ☐ Purple Gallinule | | | | | | | | | | | | |
| ☐ Common Gallinule* | | | | | | | | | | | | |
| ☐ American Coot** | | ШШ | П | | | | | | | | | |
| ☐ Sandhill Crane | | | 1111 | шш | ш | | | | | | | |
| PLOVERS | | • | | | | | | | | | | |
| ☐ Black-bellied Plover | | | | | 11111 | | | ш | | | | |
| ☐ American Golden-Plover | | | | | | | | | ш | ші | | |
| ☐ Snowy Plover | | | | | | | - | | | | | |
| ☐ Wilson's Plover | | | | | | | | | - | | | |
| ☐ Semipalmated Plover | | | | | .шш | | | ш | | | | \vdash |
| ☐ Piping Plover*** | | | | | سد. | | | | | | | + |
| ☐ Killdeer* | | | | | | | | | | | | |
| AVOCETS | | | | | | | | | | | | |
| ☐ American Avocet | | | | | | | | | | | | |
| - American Avucet | | | | | | | | | | | | |

| | | | S | easc | nal | Abu | ndar | ice a | and I | Frea | uenc | :v | |
|----|-------------------------|-----|----|------|-----|----------|----------|-------|-------|----------|------|----|----------|
| | Species Name | JAN | | MAR | | | | | | | | | DEC |
| SA | NDPIPERS, PHALAROPES | | | | | | | | | | | | |
| | Spotted Sandpiper* | | | | | | | | | | | | • |
| | Solitary Sandpiper | | | | | | | | | | | | |
| | Greater Yellowlegs | | | | шш | | | | шш | ш | | | - |
| | Willet | | | | | | | | | | | | |
| | Lesser Yellowlegs | - | | | | ШШ | | ш. | шш | ш | | | |
| | Upland Sandpiper** | | | Ī., | | | | | | | | | |
| | Whimbrel | | | | | Ш | | | | | | | |
| | Long-billed Curlew | | | | | | | | | | | | |
| | Hudsonian Godwit | | | | | | | | | | | | |
| | Marbled Godwit | | | | | | | | | | | | |
| | Ruddy Turnstone | • | | | | Ш | Ц | | | | | | |
| | Surfbird | | | | | | | | - | | | | |
| | Red Knot | | | | | | Ц | | | | | | |
| | Sanderling | - | | | | Ш | <u> </u> | | ШШ | Ш | | | |
| | Semipalmated Sandpiper | | | | | | | | ШШ | Щ | Ĺ | | |
| | Western Sandpiper | | | | | | | | | | | | |
| | Least Sandpiper | | | | | | | | | | | | |
| | White-rumped Sandpiper | | | | | 1 | ш | | | | | | |
| | Baird's Sandpiper | | | | | | | | | | | | • |
| | Pectoral Sandpiper | | | | ш | | | | ш | ш | | | |
| | Purple Sandpiper | | | | | | | | | | Ī., | | |
| | Dunlin | | | | | | | | | | Ш | Щ | <u> </u> |
| | Stilt Sandpiper | | | | | | | | | | | | |
| | Buff-breasted Sandpiper | | | | | | | | | | | | |
| | Ruff | | | | | - | | | - | - | | | |
| | Short-billed Dowitcher | | | - | | .ш | | ш | шш | L | | | |
| | Long-billed Dowitcher | | | | | | | | | | | | |
| | Wilson's Snipe** | | | ц | ш | | | | шш | İ | ш | | |
| | American Woodcock* | - | ٠. | | | | | | | | | | |
| | Wilson's Phalarope | | | | | | | | | | | • | |
| | Red-necked Phalarope | | | | | - | | | | | | | • |
| | Red Phalarope | - | | | | | | | | | | | |
| GU | ILLS, TERNS, JAEGERS | | | | | | | | | | | | |
| | Black-legged Kittiwake | | | - | | | | | | - | | | |
| | Sabine's Gull | | | | | | | | | Ī., | | • | - |
| | Bonaparte's Gull | | | | | <u>L</u> | | | | | | | |
| П | Black-headed Gull | | | | | | | | | | | | |

| Species Name | | | Seas | | | | | | | | | | |
|----------------------------|----------|------|------|---------|----|-----|-----|-----|-----|-----|-----|-----|-----|
| <u> </u> | | _ | ВМА | R A | PR | MAY | JUN | JUL | AUG | SEP | ОСТ | NOV | DEC |
| GULLS, TERNS, JAEGERS | (Continu | ied) |) | _ | | | | 1 | | | | | |
| ☐ Little Gull | | | | + | | | | • | | | | | |
| ☐ Laughing Gull | | | | \perp | | | | | | | | | |
| ☐ Franklin's Gull | | | | <u></u> | | | | | | | | | |
| ☐ Ring-billed Gull* | | | | | | | | | | | | | |
| ☐ California Gull | | | | | | | | | | | | | |
| ☐ Herring Gull* | | | | | | | | | | | | | |
| ☐ Thayer's Gull | | | | | | | | | | | | | |
| ☐ Iceland Gull | | | | | | | | | | - | | | |
| ☐ Lesser Black-backed Gull | | | | | | | | | | | | | |
| ☐ Glaucous Gull | | | | | | | | | | | | | |
| ☐ Great Black-backed Gull | | | | | | | | | | | | | |
| ☐ Least Tern | | | | | | | | | | | | | |
| ☐ Caspian Tern*** | | | | Ī. | | | | | | | Ĺ | | |
| ☐ Black Tern** | | | | | | | | | | | | | |
| ☐ Common Tern** | | | | Τ. | | | | | Ш | ш | | | |
| ☐ Arctic Tern | | | | Ť | | | | | | | | | |
| ☐ Forster's Tern | - | | | Ϊ. | | | | | | | | | |
| ☐ Pomarine Jaeger | | | | | | | | | | - | | | |
| ☐ Parasitic Jaeger | | | | Ť | | | | - | | Ì | | | |
| PIGEONS, DOVES | · · | | | | | | | | | | | | |
| ☐ Rock Pigeon* | | | | | | | | | | | | | |
| ☐ Band-tailed Pigeon | | | | T | | | | | | | | | |
| ☐ Eurasian Collared-Dove | | | | | | | | | | | | | |
| ☐ White-winged Dove | | | | | | | | | | | • | | |
| ☐ Mourning Dove* | | | | | | | | | | | | | |
| ☐ Common Ground-Dove | | | | \top | | | | | | | - | | |
| CUCKOOS | | | | | | | | | | | | | |
| ☐ Yellow-billed Cuckoo* | | | | T | | | | | | | Ī | | |
| ☐ Black-billed Cuckoo* | | | | T | | | | | | | | | |
| OWLS | | | | | | | | | | | | | |
| ☐ Barn Owl*** | | | | T | | | | | | | | - | |
| ☐ Eastern Screech-Owl* | | | | | | | | | | | | | |
| ☐ Great Horned Owl* | | | | | | | | | | | | | |
| ☐ Snowy Owl | | | | | | | | | | | | , | |
| ☐ Northern Hawk Owl | - | T | | Ť | | | | | | | | | |
| ☐ Barred Owl* | | | | | | | | | | | | | |
| ☐ Long-eared Owl | | | | | | | | | | | | | |

| | Т | | 6880 | nal | Ahu | ndar | ice a | and F | rea | uenc | :v | |
|----------------------------------|----------|----|------|-----|-----|------|-------|-------|---------|----------|----|----------|
| Species Name | JAN | | | | | | | AUG | | | | DEC |
| OWLS (Continued) | | | | | | | | | | | | |
| ☐ Short-eared Owl | Ī | | | | | - | | | | | | |
| ☐ Boreal Owl | | | | - | | | | | | | | |
| ☐ Northern Saw-whet Owl** | | | | | | | | | | | | Ì |
| NIGHTJARS | | | | | | | | | | | | |
| ☐ Common Nighthawk* | | | | | | | | Ш | L | | | |
| ☐ Chuck-wills-widow | | | | | | | | | | | | |
| ☐ Eastern Whip-poor-will* | | | | | | | | | | | | |
| SWIFTS | | | | | | | | | | | | |
| ☐ Chimney Swift* | | | | | | | | | | L | | |
| HUMMINGBIRDS | | | | | | | | | | | | |
| ☐ Ruby-throated Hummingbird* | | | | | | | | | <u></u> | | | |
| ☐ Rufous Hummingbird | | | | | | | | | | | | |
| KINGFISHERS | | | | | | | | | | | | |
| ☐ Belted Kingfisher* | <u> </u> | | | | | | | | | | | |
| WOODPECKERS | | | | | | | | | | | | |
| ☐ Red-headed Woodpecker* | | | | ш | ш | | | | | <u> </u> | | |
| ☐ Red-bellied Woodpecker* | | | | | | | | | | | | |
| ☐ Yellow-bellied Sapsucker* | | | | | | | | | | , | | |
| ☐ Downy Woodpecker* | | | | | | | | | | | | |
| ☐ Hairy Woodpecker* | | | | | | | | | | | | |
| ☐ American Three-toed Woodpecker | r | | | | | | | | | | | - |
| ☐ Northern Flicker* | шш | шш | Ш | | | | | | | | | ш |
| ☐ Pileated Woodpecker* | | | | | | | | | | | | |
| FALCONS | | | | | | | | | | | | |
| ☐ American Kestrel* | | | | Ш | | | | | | | | |
| ☐ Merlin* | | | | | | | | | | | | |
| ☐ Gyrfalcon | | ļ | | | | | | | | - | | <u> </u> |
| ☐ Peregrine Falcon* | | | | | | | | | | <u> </u> | | |
| FLYCATCHERS | | | | | | | | | | | | |
| ☐ Olive-sided Flycatcher | | | | | | | | | | - | | |
| ☐ Eastern Wood-Pewee* | | | | | | | | | | | | |
| ☐ Yellow-bellied Flycatcher | | | | | | | | | | | | |
| ☐ Acadian Flycatcher* | | | | | | | | | | | | |
| ☐ Alder Flycatcher* | | | | | | | | | | | | |
| ☐ Willow Flycatcher* | | | | | | | | | | | | |
| ☐ Least Flycatcher* | | | | | | | | | | | | |
| □ Eastern Phoebe* | | | | | | | | | | | | |

| Species Name | JAN | S FEB | | | | | | | Freq | | | DE |
|----------------------------------|-------|----------|----------|---------|---------|-------|-----|------|-------------|---|------|----|
| FLYCATCHERS (Continued) | 07111 | . 25 | 1007 (1) | , ti 1t | 1111/11 | Journ | 002 | 7100 | 02. | | 1101 | |
| ☐ Say's Phoebe | | | | | | | | | | | | |
| ☐ Great Crested Flycatcher* | | | | | | | | | | | | |
| ☐ Western Kingbird | | | | | | | | | | | | |
| ☐ Eastern Kingbird* | | | | | | | | | | | | |
| ☐ Scissor-tailed Flycatcher | | | | | | | | | | | | |
| SHRIKES | | | | | | | | | | | | - |
| ☐ Loggerhead Shrike*** | | | | _ | | - | - | | | | - | |
| ☐ Northern Shrike | | | | | | | | | | | | |
| VIREOS | | | | | | | | | | | -, | |
| ☐ White-eyed Vireo | | | | | | | | • | Ī | | - | |
| ☐ Yellow-throated Vireo* | | | | | | | | | | | | |
| ☐ Blue-headed Vireo* | | | | | | | | | | | | |
| ☐ Warbling Vireo* | | | | | | | | | L., | | - | |
| ☐ Philadelphia Vireo | | | | | | | | | | | | |
| ☐ Red-eyed Vireo* | | | | ٠. | | | | | | | | |
| JAYS, CROWS, RAVENS | | | | | | | | | | | | |
| ☐ Blue Jay* | | | | | | | | | | | | |
| ☐ American Crow* | | | | | | | | | | | | |
| ☐ Common Raven | | | | | | | | | | | | |
| LARKS | | | | | | | | | | | | |
| ☐ Horned Lark* | шш | шш | | | | | | | | ш | шш | ш |
| SWALLOWS, MARTINS | | | | | | | | | | | | |
| ☐ Northern Rough-winged Swallow* | | | | | | | L | | | | | |
| ☐ Purple Martin* | | | | | | | | | <u>L.</u> . | | | |
| ☐ Tree Swallow* | | | | | | | | | L | | | - |
| ☐ Bank Swallow* | | | | | | | | | | | | |
| ☐ Barn Swallow* | | - | | | | | | | | | | |
| ☐ Cliff Swallow* | | | • | | | | | | | | | |
| ☐ Cave Swallow | | | | | | | | | | | | |
| CHICKADEES, TITMICE | | | | | | | | | | | | |
| ☐ Black-capped Chickadee* | | | | | | | | | | | | |
| ☐ Boreal Chickadee | | | | | | | | | | | | |
| ☐ Tufted Titmouse* | | | | | | | | | | | | |
| NUTHATCHES, CREEPERS | | | | | | | | | | | | |
| ☐ Red-breasted Nuthatch* | шш | шш | шш | ш | | | | | ш | ш | шш | ш |
| ☐ White-breasted Nuthatch* | | | | | | | | | | | | |
| ☐ Brown Creeper* | | | | | | | | | | | | |

| 0 | | S | easo | onal | Abu | ndar | nce a | and F | req | uend | | |
|----------------------------|-----|----|------|------|-----|---------|-------|-------|-----|----------|----|-----|
| Species Name | JAN | | | APR | | | | | | | | DE |
| WRENS | | | | | | | | | | | | |
| ☐ House Wren* | | | | | | | | | | | | |
| ☐ Winter Wren* | | | | | | | | | | | | |
| ☐ Sedge Wren** | | | | | | | | | | | | |
| ☐ Marsh Wren* | | | | | | | | | | | | |
| ☐ Carolina Wren* | | | | | | | | | | | | |
| ☐ Bewick's Wren | | | | | | | | | | | | |
| GNATCATCHERS | | | | | | | | | | | | |
| ☐ Blue-gray Gnatcatcher* | | | | | | <u></u> | | | | | | |
| KINGLETS | | | | | | | | | | | | |
| ☐ Golden-crowned Kinglet** | | | | | | | | | | | | |
| ☐ Ruby-crowned Kinglet | | | | | L., | | | | | | L | |
| THRUSHES | | | | | | | | | | | | |
| ☐ Eastern Bluebird* | шш | ш | | | | | | | | | шш | ш |
| ☐ Townsend's Solitaire | | | | | - | | | | | | | |
| □ Veery* | | | | | | | | | | | | |
| ☐ Gray-cheeked Thrush | | | | | ш | 1 | | | | L | | |
| ☐ Bicknell's Thrush | | | | | | | | | | | | |
| ☐ Swainson's Thrush | | | | | | ш | | | | L | | |
| ☐ Hermit Thrush* | | | | | | | | | | | | |
| ☐ Wood Thrush* | | | | _ | | | | | | <u> </u> | | |
| ☐ American Robin* | Ш | ШШ | | | | | | | | | ШШ | Ш |
| ☐ Varied Thrush | | .: | | | | | | | | | | |
| MIMIDS | | | | | | | | | | | | |
| ☐ Gray Catbird* | | | | | | | | | | L | | |
| ☐ Northern Mockingbird* | | | | | | | | | | | | |
| ☐ Brown Thrasher* | | | | | | | | | | | | |
| STARLINGS | | | | | | | | | | | | |
| ☐ European Starling* | | | | | | | | | | | | |
| PIPITS | | | | | | | | | | | | |
| ☐ American Pipit | | | | шш | ш | | | | | шш | шш | ш., |
| WAXWINGS | | | | | | | | | | | | |
| ☐ Bohemian Waxwing | | | | | - | | | | | | | |
| ☐ Cedar Waxwing* | ШШ | ШШ | ШШ | ШШ | Ш | | | | | ШШ | ШШ | Ш |
| LONGSPURS | | | | | | | | | | | | |
| ☐ Lapland Longspur | | | | - | | | | | | ш | | |
| SNOW BUNTINGS | | | | | | | | | | | | |
| ☐ Snow Bunting | ШШ | | | | | | | | | | | Ш |

| | | S | easo | nal | Abu | ndar | nce a | and F | req | uen | су | |
|-------------------------------------|-----|---|------|-----|----------|---------|-------|----------|--|------|----------|-----|
| Species Name | JAN | | MAR | | | | | | | | | DEC |
| WOOD-WARBLERS | | | | | | | | | | | | |
| ☐ Ovenbird* | | | | | | | | | | | - | |
| ☐ Worm-eating Warbler | | | | | | | | | - | | | |
| ☐ Louisiana Waterthrush* | | | | | | | | | | | | |
| ☐ Northern Waterthrush* | | | | | | | | | | | | |
| ☐ Blue-winged Warbler* | | | | | | | | | | | | |
| ☐ Brewster's Warbler (hybrid) | | | | | | | | | • | | | |
| ☐ Golden-winged Warbler | | | | | | | | Ι. | | | | |
| ☐ Lawrence's Warbler (hybrid) | | | | | | | | | • | | | |
| ☐ Black-and-white Warbler** | | | | | . | | | | <u>. </u> | | | |
| ☐ Prothonotary Warbler** | | | | | | | | | | | | |
| ☐ Swainson's Warbler | | | | | • | | | | | | | |
| ☐ Tennessee Warbler | | | | | | <u></u> | | ١. | | | | |
| ☐ Orange-crowned Warbler | | | | | | | | | | | | - |
| ☐ Nashville Warbler** | | | | | | | | İ | | | Ì | |
| ☐ Connecticut Warbler | | | | | | | | | | | | |
| ☐ Mourning Warbler* | | | | | | | | | | | | |
| ☐ Kentucky Warbler** | | | | - | | | | | | | | |
| ☐ Common Yellowthroat* | | | | | | | | | | | | |
| ☐ Hooded Warbler* | | | | | | | | | | | • | |
| ☐ American Redstart* | | | | | | | | | | Ĺ. | | |
| ☐ Kirtland's Warbler | | | | | | | | | | | | |
| ☐ Cape May Warbler | | | | | | | | Ī | | | | - |
| ☐ Cerulean Warbler* | | | | | | | | | | ···· | <u> </u> | |
| ☐ Northern Parula | | | | | | | | | | | | |
| ☐ Magnolia Warbler* | | | | | | | | | | | | |
| ☐ Bay-breasted Warbler | | | | | | | | | | | | |
| ☐ Blackburnian Warbler* | | | | | | | | _ | | | | |
| ☐ Yellow Warbler* | | | | | | | | 5 | | | | |
| ☐ Chestnut-sided Warbler* | | | | _ | | | | | | | | |
| ☐ Blackpoll Warbler | | | | | | | | | | | | |
| ☐ Black-throated Blue Warbler | | | | | | | | | | | | |
| ☐ Palm Warbler | | | | | | | | _ | | | | |
| ☐ Pine Warbler* | | | | | | • | | <u> </u> | | | | |
| ☐ Yellow-rumped Warbler* | | | | | | | | | | | <u> </u> | |
| ☐ Yellow-rumped (Audubon's) Warbler | | | | | | | | | | | | |
| ☐ Yellow-throated Warbler | | | | | | | | | | | | |
| ☐ Prairie Warbler | | | | | | | | | | | | |

| | Т | 9 | P360 | nal | Δhιι | ndar | ice s | and F | rec | uena | ·v | |
|---------------------------------|-----|----|------|-----|----------|------|-------|-------|-----|---------|----|-----|
| Species Name | JAN | | | | | | | AUG | | | | DEC |
| WOOD-WARBLERS (Continued) | | ı | | | | | | | | | | |
| ☐ Black-throated Gray Warbler | | | | | | | | | - | | | |
| ☐ Black-throated Green Warbler* | | | | | | | | | | L. | | |
| ☐ Canada Warbler* | | | | | | | | | | | | |
| ☐ Wilson's Warbler | | | | | | | | | | | | |
| ☐ Yellow-breasted Chat | | | | | | | | | | | | |
| AMERICAN SPARROWS | | | | | | | | | | | | |
| ☐ Spotted Towhee | | | | | | | | | | | | |
| ☐ Eastern Towhee* | L | | | | | | | | | | | |
| ☐ American Tree Sparrow | Ш | ШШ | Ш | | | | | | | | Ш | шш |
| ☐ Chipping Sparrow* | | | | | | | | | | Ī | | |
| ☐ Clay-colored Sparrow | | | | | | | | | | | | - |
| ☐ Field Sparrow* | | | | | | | | | | | | |
| □ Vesper Sparrow* | | | | | | | | | | | | |
| ☐ Lark Sparrow | | | | | | | | - | - | | | - |
| ☐ Lark Bunting | | | | | • | | | | | | | |
| ☐ Savannah Sparrow* | | | ٠. | | | | | | | | | |
| ☐ Grasshopper Sparrow* | | | | | | | | | | - | | |
| ☐ Henslow's Sparrow** | | | | | | | | | | - | | |
| ☐ Le Conte's Sparrow | | | | | | | | | | - | | |
| ☐ Nelson's Sparrow | | | | | | | | | | | | |
| ☐ Fox Sparrow | | | | | | | | | | | | |
| ☐ Song Sparrow* | | | | | | | | | | | | |
| ☐ Lincoln's Sparrow | - | | | | | | | - | | | | |
| ☐ Swamp Sparrow* | | | | | | | | | | | | |
| ☐ White-throated Sparrow | | | | | L., | | - | - | | | | |
| ☐ Harris's Sparrow | | | | | | | | | | | | |
| ☐ White-crowned Sparrow | | | | | J | | | | | Щ. | | |
| ☐ Dark-eyed Junco* | | | | | | | | | | | | |
| TANAGERS | | | | | | | | | | | | |
| ☐ Summer Tanager | | | | | | | | | | | | |
| ☐ Scarlet Tanager* | | | | | | | | | | | | |
| ☐ Western Tanager | | | | | - | | | | | | | |
| CARDINALIDS | | | | | | | | | | | | |
| ☐ Northern Cardinal* | | | | | | | | | | | | |
| ☐ Rose-breasted Grosbeak* | | | | | | | | | | <u></u> | | |
| ☐ Blue Grosbeak | | | | | | | | • | | | | |
| ☐ Indigo Bunting* | | | | | | | | | | | | |

| Species Name | | | | | | | | and F | | | | |
|---------------------------|-------|--------|--------|--------|--------|-----|-----|-------|---------|-----|----------|-----|
| Species Name | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | ОСТ | NOV | DEC |
| CARDINALIDS (Continued) | | | | | | | | | | | | |
| ☐ Painted Bunting | | | | .: | | | | | | | | |
| ☐ Dickcissel | | | : | | | | | | | • | | - |
| BOBOLINKS, BLACKBIRDS, C | RIOLE | S | | | | | | | | | | |
| ☐ Bobolink* | | | | | | | | | <u></u> | | - | |
| ☐ Red-winged Blackbird* | | اللت | | | | | | | | | | |
| ☐ Eastern Meadowlark* | | | = | | | | | | | | L., | |
| ☐ Western Meadowlark | | | | | | | : | | | | | |
| ☐ Yellow-headed Blackbird | - | .: | - | | | | | | | | | |
| ☐ Rusty Blackbird | | | | ш | | | | | | Щ., | | |
| ☐ Brewer's Blackbird | | | | | | | | | | | | - |
| ☐ Common Grackle* | | !!!! | | | | | | | | | | |
| ☐ Brown-headed Cowbird* | | | | | | | | | | | <u> </u> | |
| ☐ Orchard Oriole* | | | | | | | | | | | | |
| ☐ Baltimore Oriole* | - | | | | | | | | | | | |
| FINCHES | | | | | | | | | | | | |
| ☐ Pine Grosbeak | | | | | | | | | | | | |
| ☐ Purple Finch* | | | | шш | шш | шш | ц | | | | | |
| ☐ House Finch* | | | | | | | | | | | | |
| ☐ Red Crossbill | шш | Ш | 111111 | 111111 | 111111 | П | | • | | II. | 111111 | ш |
| ☐ White-winged Crossbill | шш | 111111 | 111111 | ш | | | | | | | ШШ | |
| ☐ Common Redpoll | Ш | шш | шш | шш | ш | | | | | ш | шШ | ш |
| ☐ Hoary Redpoll | | | | | | | | | | | | ١. |
| ☐ Pine Siskin** | шш | шш | ШШ | Шш | шш | | | | | ш | ш | ш |
| ☐ American Goldfinch* | | | | | | | | | | | | |
| ☐ Evening Grosbeak | | | | | | | - | | | | | ļ |
| OLD WORLD SPARROWS | | | | | | | | | | | | |
| ☐ House Sparrow* | | | | | | | | | | | | |
| WRITE-INS | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

Trumpeter Swan (Recently introduced into eastern North America.) Status currently undetermined. **Northern Bobwhite** (All sightings are believed to have been of escapees.)

Band-rumped Storm-Petrel (Remains found along shore of Lake Erie on 2/24/1998, origin unknown.)

14

Yellow Rail 1893-1896, 1900-1902, 1905 **Eskimo Curlew** (Probably extinct.) 1889

Thick-billed Murre 1896, 1899, 1900

Passenger Pigeon (Extinct.) Reported in county up until 1890.

Black-billed Magpie (Sighting is believed to have been of an escapee.) 1955